

JI-DS156

CONFERENCE DISPLAY

Desktop 15.6-inch conference display with optional capacitive touch, in a machined aluminium body.

15.6" FULL HD

OPTIONAL TOUCH

ALUMINIUM

0-60° TILT

MINI-PC OPTION



DESKTOP DISPLAY

15.6" FULL HD · OPTIONAL TOUCH

01 OVERVIEW

The **Jistron JI-DS156** is a desktop conference display for meeting tables, built around a 15.6-inch Full HD screen at 1920×1080 in a machined aluminium-alloy body. Capacitive ten-point touch is available as an option, so the unit can be supplied as a touch display or a display-only screen. The display tilts through 0–60° and can be supplied with an optional integrated mini-PC for a self-contained conferencing terminal. It is a fixed desktop unit, not a retractable lift.

Jistron

AUDIO VISUAL EQUIPMENT · TALLINN, ESTONIA

02 KEY FEATURES

- **15.6" Full HD display**
1920 × 1080 desktop screen in a machined aluminium body for conference tables.
- **Aluminium-alloy body**
Machined aluminium in brushed black, brushed silver, matte black or sparkle silver finishes.
- **Optional integrated mini-PC**
Intel Core i5-4200U, 4 GB memory, 64 GB storage, Windows 10 (64-bit) — optional.
- **Optional capacitive touch**
Ten-point capacitive touch available as an option; also supplied as a display-only screen.
- **Adjustable tilt**
Screen angle adjustable through 0–60° for comfortable desktop viewing.
- **EDP signal interface**
Embedded DisplayPort signal path between the display electronics and panels.


03 APPLICATIONS

Conference Tables	Boardrooms	Meeting Rooms	Reception Desks	Collaboration Spaces
Council Chambers				

04 CONFIGURATION

- 1 **Display** — 15.6-inch, 1920 × 1080, 16 : 9.
- 2 **Touch (optional)** — ten-point capacitive touch, or display-only.
- 3 **Tilt** — adjustable display angle through 0–60°.
- 4 **Mini-PC (optional)** — Intel Core i5-4200U, 4 GB, 64 GB, Windows 10 (64-bit).
- 5 **Signal** — EDP (embedded DisplayPort).
- 6 **Finishes** — brushed black, brushed silver, matte black or sparkle silver.

05 DIMENSIONS



Jistron

AUDIO VISUAL EQUIPMENT · TALLINN, ESTONIA

05 TECHNICAL SPECIFICATIONS

DISPLAY	
Screen	15.6 inch · 1920 × 1080 (Full HD)
Touch (optional)	Capacitive ten-point touch, or display-only
Screen ratio	16 : 9
Brightness	220 cd/m ²
Contrast ratio	500 : 1
SYSTEM & POWER	
Mini-PC (optional)	Intel Core i5-4200U · 4 GB memory · 64 GB storage
Operating system	Windows 10 (64-bit)
Signal	EDP (embedded DisplayPort)
Max power	25 W
Voltage	AC 220 V, 50–60 Hz
MECHANICAL & PHYSICAL	
Material	Aluminium alloy
Finishes	Brushed black · brushed silver · matte black · sparkle silver
Tilt angle	0–60°
Product dimensions	360 × 228 × 270 mm · depth 100 mm · base 25 mm (see drawing)

06 ORDERING INFORMATION

MODEL	DESCRIPTION	NOTES
JI-DS156	Conference display, 15.6" Full HD, optional touch	Optional touch & mini-PC · specify finish at order

Specifications on this datasheet refer to the JI-DS156. Capacitive touch and the integrated mini-PC are optional. Finish and configuration available on request.

07 ABOUT JISTRON

Jistron is a European audio–visual brand headquartered in Tallinn, Estonia. It supplies motorised conference lifts, microphone systems and installed audio–visual solutions for boardrooms, chambers and lecture environments; products are manufactured at audited partner facilities.

ADDRESS PÄRNU MNT 142, 11317 TALLINN, ESTONIA · EMAIL [INFO@JISTRON.COM](mailto:info@jistron.com) · WEB [JISTRON.COM](http://jistron.com)

The specifications will be subject to change without prior notice.
Copyright © Jistron All rights reserved.